

Catalogue

Rubber matting



Rubber United

YOUR SUPPLIER OF RUBBER PRODUCTS

Table of contents

| | |
|--------------------|----|
| Quick choice chart | 5 |
| Ringmats | 6 |
| Entrance mats | 9 |
| Workplace mats | 11 |
| Gym mats | 13 |
| Stable mats | 15 |
| Trailer mats | 16 |
| Stair mats | 17 |

Quick choice chart

Quickly find the right mat for your application.


| Application | ringmats | entrance mats | workplace mats | gym mats | stable mats | trailer mats | stair mats |
|-----------------------------|----------|---------------|----------------|----------|-------------|--------------|------------|
| Suitable for indoors use | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ |
| Suitable for outdoors use | ✓ | ✓ | | | ✓ | ✓ | |
| Workshop | ✓ | | ✓ | | | | |
| Swimming pool | | | | | | | |
| Sauna, wellnessruimte | | | | | | | |
| Fitnessroom | | | | ✓ | | | |
| Stable | ✓ | | | ✓ | ✓ | | |
| Riding school | ✓ | | | ✓ | ✓ | | |
| Trailer / livestock trailer | | | | ✓ | ✓ | ✓ | |
| Shipdeck | ✓ | | | | | | |
| Page | 6 | 9 | 11 | 13 | 15 | 16 | 17 |

| Property/resistance | ringmats | entrance mats | workplace mats | gym mats | stable mats | trailer mats | stair mats |
|------------------------|----------|---------------|----------------|----------|-------------|--------------|------------|
| Water resistant | ✓ | | | | ✓ | ✓ | |
| Anti slip | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Vibration dampening | ✓ | | ✓ | ✓ | ✓ | | |
| Anti-fatigue | | | ✓ | | | | |
| Oil resistant | ✓* | | ✓* | | | | |
| Sound insulating | | | | ✓ | | | |
| Temperature insulating | | | | ✓ | ✓ | | |
| Page | 6 | 9 | 11 | 13 | 15 | 16 | 17 |

* Rubber United also has these mats in an oil resistant execution in its assortment

Ringmats are suitable for both indoor and outdoors use. They are anti-slip and ideal for workplaces and walkways that are used intensively. In addition, ringmats are excellent as entrance mats. By means of connectors the mats can be coupled to each other and therefore can virtually be given any desired size.



Ringmat M5



| article code | thickness (mm) | dimensions (mm) | colour | execution | weight (kg) |
|--------------|----------------|-----------------|--------|-----------|-------------|
| 31010154 | 16 | 600 x 400 | black | open | 1,6 |
| 31010153 | 18 | 1500 x 1000 | black | open | 15 |
| 31010156 | 22 | 600 x 400 | black | open | 2 |
| 31010155 | 22 | 1000 x 500 | black | open | 5 |
| 31010157 | 22 | 1200 x 800 | black | open | 9 |
| 31010150 | 22 | 1500 x 1000 | black | open | 15 |
| 31010152 | 22 | 1500 x 1000 | black | closed | 15 |
| 31011163 | 22 | 2000 x 1000 | black | open | 20 |
| 31010160* | 22 | 1200 x 800 | red | open | 9 |


* Suitable for oily and greasy workplaces

Ringmat M7 - thickness 23 mm



| article code | thickness (mm) | dimensions (mm) | colour | execution | weight (kg) |
|--------------|----------------|-----------------|--------|-----------|-------------|
| 31010151 | 23 | 1500 x 1000 | black | open | 19 |
| 31010149 | 23 | 1500 x 1000 | black | closed | 19 |

Ringmat M7 - thickness 13 mm



Application:

Suited for wheelchairs, buggies and shopping carts.

| article code | thickness (mm) | dimensions (mm) | colour | execution | weight (kg) |
|--------------|----------------|-----------------|--------|------------|-------------|
| 31010121 | 13 | 500 x 1000 | black | open | 12 |
| 31010148 | 13 | 1500 x 1000 | black | open | 12 |
| 31010126 | 13 | 1800 x 1000 | black | open | 12 |
| 31000001 | | | | connectors | |

*connectors are exclusively to be order with the ringmats mentioned above

connectors /brushes





| article code | | |
|--------------|------------|--|
| 31000000 | connectors | |
| 31000010 | brushes | red - blue - yellow - green - grey - black |

suitable for the following ringmats:

Ringmat M5: 31010156 - 31010154 - 31010157 - 31010153 - 31010150

Ringmat M7: 31010151


Ringmat with sloping edges



execution : open - oil resistant


| article code | thickness (mm) | dimensions (mm) | colour | execution | weight (kg) |
|--------------|----------------|-----------------|--------|-----------|-------------|
| 31011162 | 18 | 1000 x 500 | black | open | 5 |

Ringmat on roll



| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 30290180 | 10 | 915 | 10000 | black |
| 30290160 | 10 | 1830 | 10000 | black |

Ringmat on roll



| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 31010135 | 13 | 1000 | 9240 | black |

Rubber United has entrance mats in different executions. The profile on the mats retains dust and dirt, ensuring that floors remain clean.

Applications: entrances, workshops.

Entrance mat turtle design



| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 31101025 | 10 | 1500 | 900 | black |

Entrance mat fingertip design



| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 31081162 | 12 | 1500 | 900 | black |

Entrance mat scraper design



| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 31101045 | 8 | 1720 | 1100 | black |

Entrance mat with colored turtle design




| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 31101040 | 8 | 900 | 1500 | grey |
| 31101048 | 8 | 900 | 1500 | blue |
| 31101049 | 8 | 900 | 1500 | brown |

Workplace mats are ideal for areas where work is done standing in one place for extended periods of time. The mats are anti-slip, anti-fatigue and have shock and sound absorbing properties. The beveled edges provide additional security to avoid tripping.

Applications: workshops for assembly, production and packaging activities at or behind machinery and counters.



Ergonomic anti fatigue mat



execution : uppside round studs and sloping edges

| article code | thickness (mm) | width (mm) | length (mm) | colour | weight (kg) |
|--------------|----------------|------------|-------------|--------|-------------|
| 31101020 | 15 | 900 | 600 | black | 3,2 |
| 31101021 | 15 | 1200 | 900 | black | 8 |

Modular mat



quality : SBR/NR (a, b en d)
 quality : NBR/NR (c)


| article code | thickness (mm) | dimensions (mm) | colour | execution (mm) |
|--------------|----------------|-----------------|--------|---------------------------------|
| 31081167 | 14 | 900 x 900 | black | closed (a) |
| 31081168 | 14 | 900 x 900 | black | open (b) |
| 31081169* | 14 | 900 x 900 | red | open (c) |
| 31081170 | 13 | 900 x 900 | black | closed with diamond profile (d) |
| 31081175 | 14 | 75 x 990 | black | edges for type a+b |
| 31081176* | 14 | 75 x 990 | red | edges for type c |

* oil resistant but does not resist aromatic oils and greases.

Rubber Gym mats are interlocking so that they can easily connect together to provide gym flooring coverage for temporary and non-rectangular exercise spaces as well as areas where gym floor rolls or individual gym mats will not suffice. These heavy-duty rubber gym tiles are constructed of a resilient, heavy-duty rubber that is non-absorbent and treated with an anti-microbial agent to prevent bacterial and odors.

Application: fitness centres, skating and ski arenas


Puzzle mat 1 x 1m



execution : uppside turtle design, reverse studs

| article code | thickness (mm) | width (mm) | length (mm) | colour | weight (kg) |
|--------------|----------------|------------|-------------|--------|-------------|
| 31081196 | 18 | 1000 | 1000 | black | 24 |

Puzzle mat 1.83 x 1.22m



execution : uppside turtle design, reverse broad ribbed

| article code | thickness (mm) | width (mm) | length (mm) | colour | weight (kg) |
|--------------|----------------|------------|-------------|--------|-------------|
| 31081245 | 17 | 1830 | 1220 | black | 50 |


Puzzle mat with black/grey speckles



execution : black/grey speckles

| article code | thickness (mm) | width (mm) | length (mm) | colour | weight (kg) |
|--------------|----------------|------------|-------------|------------|-------------|
| 31081195a | 10 | 1530 | 910 | black/grey | 18 |


Puzzle mat 0,5 x 0,5m



execution : uppside turtle design, reverse broad ribbed

| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 31101050 | 8 | 500 | 500 | black |
| 31101054 | 14 | 500 | 500 | black |

Gym mat 1 x 2m



execution : upper side lengthwise broadribbed, reverse with bubbles

| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 31081194X | 17 | 1000 | 2000 | black |

Stable mats provide performance, durability, and appearance. This 100% recycled rubber livestock flooring provides cushion for animals, while also being resilient against animal secretions. The non-slip surface is easy to clean and maintain.

Application: stables, horse boxes and trailers

Stable mat M40



execution : upper side lengthwise broadribbed, reverse with bubbles

| article code | thickness (mm) | width (mm) | length (mm) | colour | weight (kg) |
|--------------|----------------|------------|-------------|--------|-------------|
| 31081192 | 10 | 1000 | 2000 | black | 26 |
| 31081194 | 17 | 1000 | 2000 | black | 40 |


Stable mat M45



execution : upper side non skid profile, reverse broad ribbed.

| article code | thickness (mm) | width (mm) | length (mm) | colour | weight (kg) |
|--------------|----------------|------------|-------------|--------|-------------|
| 31081280 | 17 | 1220 | 1830 | black | 46 |

Stable mat puzzle



execution : interlocking mat with puzzle parts all around.

| article code | thickness (mm) | width (mm) | length (mm) | colour | weight (kg) |
|--------------|----------------|------------|-------------|--------|-------------|
| 31081245 | 17 | 1250 | 1860 | black | 46 |

Trailer mat on roll



execution : both sides cloth impression

| article code | thickness (mm) | width (mm) | length (mm) | colour |
|--------------|----------------|------------|-------------|--------|
| 30280180 | 8 | 1800 | 10000 | black |
| 30280200 | 8 | 2000 | 10000 | black |

Stair mats are suitable for rectangular steps. The mats have an anti-slip profile to prevent from slipping.

Stair mat with stud design



| article code | width (mm) | length (mm) | colour |
|--------------|------------|-------------|--------|
| 31101200 | 250 | 750 | black |

Stair mat with fingertip design



| article code | width (mm) | length (mm) | colour |
|--------------|------------|-------------|--------|
| 31101201 | 250 | 750 | black |

Stair mat with checker design



| article code | width (mm) | length (mm) | colour |
|--------------|------------|-------------|--------|
| 31101203 | 250 | 750 | black |

Stair mat open



| article code | width (mm) | length (mm) | colour |
|--------------|------------|-------------|--------|
| 31101080 | 250 | 750 | black |



Rubber United
YOUR SUPPLIER OF RUBBER PRODUCTS

Rubber United (Pty) Ltd | South Africa
info@rubberunited.co.za | www.rubberunited.co.za